

## Author Index

- Abrahamsson, K., see Ekdahl, A. 197  
 Arnold, M.A., see Spear, S.K. 79
- Barmin, A., see Makower, A. 13  
 Bier, F., see Makower, A. 13  
 Blank, A.B., see Pulyayeva, I.V. 239  
 Brinkman, U.A.T., see Emteborg (b. Stigbrand), M. 111  
 Bulska, E.  
   —, Wałcerz, M., Jędral, W. and Hulanicki, A.  
   On-line preconcentration of lead and cadmium for flame atomic  
   absorption spectrometry using a flow-through electrochemical  
   microcell 133  
 Byrne, R.H., see Waterbury, R.D. 99
- Cardwell, T.J., see Sulistyarti, H. 103  
 Casella, I.G.  
   —, Gatta, M., Guascito, M.R. and Cataldi, T.R.I.  
   Highly-dispersed copper microparticles on the active gold  
   substrate as an amperometric sensor for glucose 63  
 Cataldi, T.R.I., see Casella, I.G. 63  
 Chiang, K.-L.  
   —, Krull, U.J. and Nikolelis, D.P.  
   Ellipsometric determination of the structure of surface-  
   stabilized bilayer lipid membranes on silver metal 73  
 Coldiron, S.J., see Vaidya, B. 167
- Dewald, H.D., see Petrovic, S.C. 33  
 du Plessis, H., see van Staden, J.F. 141  
 Ducey, Jr., M.W.  
   —, Smith, A.M., Guo, X. and Meyerhoff, M.E.  
   Competitive nonseparation electrochemical enzyme binding/  
   immunoassay (NEEIA) for small molecule detection 5
- Eaton, S., see Myler, S. 55  
 Egberink, R.J.M., see Lugtenberg, R.J.W. 225  
 Ekdahl, A.  
   — and Abrahamsson, K.  
   A simple and sensitive method for the determination of volatile  
   halogenated organic compounds in sea water in the  $\text{amol l}^{-1}$  to  
    $\text{pmol l}^{-1}$  range 197  
 Emteborg (b. Stigbrand), M.  
   —, Irgum, K., Gooijer, C. and Brinkman, U.A.T.  
   Peroxyoxalate chemiluminescence in aqueous solutions: Cou-  
   pling of immobilized enzyme reactors and 1,1-oxalyldiimida-  
   zole chemiluminescence reaction to flow-injection analysis and  
   liquid chromatographic systems 111
- Engbersen, J.F.J., see Lugtenberg, R.J.W. 225  
 Eremenko, A., see Makower, A. 13  
 Experiandova, L.P., see Pulyayeva, I.V. 239
- Filipjeva, N.V., see Kolytcheva, N.V. 231  
 Fukasawa, K., see Hasebe, Y. 51  
 Funazo, K., see Miura, M. 177
- Gatta, M., see Casella, I.G. 63  
 Gooijer, C., see Emteborg (b. Stigbrand), M. 111  
 Grummt, U.-W.  
   —, Pron, A., Zagorska, M. and Lefrant, S.  
   Polyaniline based optical pH sensor 253  
 Guascito, M.R., see Casella, I.G. 63  
 Guo, X., see Ducey, Jr., M.W. 5
- Haghighi, B.  
   —, Maleki, N. and Safavi, A.  
   Standard additions in flow injection analysis with atomic  
   absorption spectrometry 151  
 Haraldsson, C., see Lyvén, B. 187  
 Hasebe, Y.  
   —, Yokobori, K., Fukasawa, K., Kogure, T. and Uchiyama, S.  
   Highly sensitive electrochemical determination of *Escherichia*  
   *coli* density using tyrosinase-based chemically amplified bio-  
   sensor 51  
 Hassellöv, M., see Lyvén, B. 187  
 Higson, S.P.J., see Myler, S. 55  
 Huang, X., see Zhu, M. 261  
 Hulanicki, A., see Bulska, E. 133
- Ikebukuro, K., see Yano, K. 91  
 Irgum, K., see Emteborg (b. Stigbrand), M. 111
- Jędral, W., see Bulska, E. 133  
 Jagner, D., see Renman, L. 157  
 Jiang, S.-J., see Wann, C.-C. 211  
 Jin, W.J., see Zhang, H.R. 119
- Karube, I., see Yang, Z. 41  
 Karube, I., see Yano, K. 91  
 Kogure, T., see Hasebe, Y. 51  
 Kolev, S.D., see Sulistyarti, H. 103  
 Kolytcheva, N.V.  
   —, Petrukhin, O.M., Filipjeva, N.V., Spivakov, B.Y. and  
   Myasoedov, B.F.  
   PVC-matrix membrane ion-selective sensors for gold determi-  
   nation in cyanide solutions 231

- Krull, U.J., see Chiang, K.-L. 73  
Kurochkin, I., see Makower, A. 13  
Lefrant, S., see Grummt, U.-W. 253  
Li, J.  
— and Xu, H.  
Determination of branched carbon number distribution of polyacrylate by liquid chromatography 219  
Li, J., see Zhu, M. 261  
Liu, C.S., see Zhang, H.R. 119  
Liu, H., see Qin, W. 127  
Lugtenberg, R.J.W.  
—, Egberink, R.J.M., Engbersen, J.F.J. and Reinhoudt, D.N.  
Polysiloxane based CHEMFETs for selective detection of  $\text{Ca}^{2+}$  ions 225  
Lundström, I., see Winqvist, F. 21  
Lyvén, B.  
—, Hassellöv, M., Haraldsson, C. and Turner, D.R.  
Optimisation of on-channel preconcentration in flow field-flow fractionation for the determination of size distributions of low molecular weight colloidal material in natural waters 187  
Ma, L., see Wang, E. 85  
Makower, A.  
—, Barmin, A., Morzunova, T., Eremenko, A., Kurochkin, I., Bier, F. and Scheller, F.  
Affinity enzymometric assay for detection of organophosphorus compounds 13  
Maleki, N., see Haghighi, B. 151  
Matsui, J., see Yano, K. 91  
Meyerhoff, M.E., see Ducey, Jr., M.W. 5  
Miura, M.  
—, Funazo, K. and Tanaka, M.  
Chiral separation of several naphthalenesulfonylamino acids by capillary zone electrophoresis with selectively methylated cyclodextrin derivatives 177  
Morzunova, T., see Makower, A. 13  
Myasoedov, B.F., see Kolytcheva, N.V. 231  
Myler, S.  
—, Eaton, S. and Higson, S.P.J.  
Poly(*o*-phenylenediamine) ultra-thin polymer-film composite membranes for enzyme electrodes 55  
Nakagiri, T., see Yano, K. 91  
Nikolelis, D.P., see Chiang, K.-L. 73  
Patel, H., see Wang, E. 85  
Patterson, S.L., see Spear, S.K. 79  
Petrovic, S.C.  
— and Dewald, H.D.  
Square-wave anodic stripping voltammetry of Zn(II) as a method for probing instabilities at a glassy carbon mercury film microelectrode 33  
Petrukhin, O.M., see Kolytcheva, N.V. 231  
Porter, M.D., see Vaidya, B. 167  
Pringsheim, E.  
—, Terpetschnig, E. and Wolfbeis, O.S.  
Optical sensing of pH using thin films of substituted polyanilines 247  
Pron, A., see Grummt, U.-W. 253  
Pulyayeva, I.V.  
—, Yegorova, N.L., Experiandova, L.P. and Blank, A.B.  
Investigation of a new reaction for the determination of microquantities of sulfite in some inorganic salts 239  
Qin, W.  
—, Zhang, Z. and Liu, H.  
Chemiluminescence flow sensor for the determination of vitamin B<sub>12</sub> 127  
Reinhoudt, D.N., see Lugtenberg, R.J.W. 225  
Renman, L.  
— and Jagner, D.  
Asymmetric distribution of results in calibration curve and standard addition evaluations 157  
Safavi, A., see Haghighi, B. 151  
Sasaki, S., see Yang, Z. 41  
Scheller, F., see Makower, A. 13  
Shen, H., see Zhu, M. 261  
Smith, A.M., see Ducey, Jr., M.W. 5  
Spear, S.K.  
—, Patterson, S.L. and Arnold, M.A.  
Flow-through fiber-optic ammonia sensor for analysis of hippocampus slice perfusates 79  
Spivakov, B.Y., see Kolytcheva, N.V. 231  
Sulistyarti, H.  
—, Cardwell, T.J. and Kolev, S.D.  
Determination of cyanide as tetracyanonickelate(II) by flow injection and spectrophotometric detection 103  
Suzuki, H., see Yang, Z. 41  
Tagami, K., see Uchida, S. 1  
Takeuchi, T., see Yano, K. 91  
Taljaard, R.E., see van Staden, J.F. 141  
Tanaka, M., see Miura, M. 177  
Terpetschnig, E., see Pringsheim, E. 247  
Turner, D.R., see Lyvén, B. 187  
Uchida, S.  
— and Tagami, K.  
Improvement of Tc separation procedure using a chromatographic resin for direct measurement by ICP-MS 1  
Uchiyama, S., see Hasebe, Y. 51  
Vaidya, B.  
—, Watson, S.W., Coldiron, S.J. and Porter, M.D.  
Reduction of chloride ion interference in chemical oxygen demand (COD) determinations using bismuth-based adsorbents 167  
van Staden, J.F.  
—, du Plessis, H. and Taljaard, R.E.  
Determination of iron(III) in pharmaceutical samples using dialysis in a sequential injection analysis system 141  
Walcerz, M., see Bulska, E. 133

- Wang, E.  
—, Zhu, L., Ma, L. and Patel, H.  
Optical sensors for sodium, potassium and ammonium ions based on lipophilic fluorescein anionic dye and neutral carriers 85
- Wann, C.-C.  
— and Jiang, S.-J.  
Determination of vanadium species in water samples by liquid chromatography-inductively coupled plasma mass spectrometry 211
- Waterbury, R.D.  
—, Yao, W. and Byrne, R.H.  
Long pathlength absorbance spectroscopy: trace analysis of Fe(II) using a 4.5 m liquid core waveguide 99
- Watson, S.W., see Vaidya, B. 167
- Wei, Y.S., see Zhang, H.R. 119
- Wide, P., see Winqvist, F. 21
- Winqvist, F.  
—, Wide, P. and Lundström, I.  
An electronic tongue based on voltammetry 21
- Wolfbeis, O.S., see Pringsheim, E. 247
- Xu, H., see Li, J. 219
- Yang, Z.  
—, Sasaki, S., Karube, I. and Suzuki, H.  
Fabrication of oxygen electrode arrays and their incorporation into sensors for measuring biochemical oxygen demand 41
- Yano, K.  
—, Nakagiri, T., Takeuchi, T., Matsui, J., Ikebukuro, K. and Karube, I.  
Stereoselective recognition of dipeptide derivatives in molecularly imprinted polymers which incorporate an L-valine derivative as a novel functional monomer 91
- Yao, W., see Waterbury, R.D. 99
- Yegorova, N.L., see Pulyayeva, I.V. 239
- Yokobori, K., see Hasebe, Y. 51
- Zagorska, M., see Grummt, U.-W. 253
- Zhang, H.R.  
—, Zhang, J., Wei, Y.S., Jin, W.J. and Liu, C.S.  
Study of new facile deoxygenation methods in cyclodextrin induced room temperature phosphorescence 119
- Zhang, J., see Zhang, H.R. 119
- Zhang, Z., see Qin, W. 127
- Zhu, L., see Wang, E. 85
- Zhu, M.  
—, Huang, X., Li, J. and Shen, H.  
Peroxidase-based spectrophotometric methods for the determination of ascorbic acid, norepinephrine, epinephrine, dopamine and levodopa 261

